

Fenix E25 Flashlight

Fenix E25 is a compact, versatile outdoor flashlight. The All-function switch on the head gives you total control of the light. Activating the light or choosing an ideal output is simple and intuitive. Powered by 2 readily available AA batteries, E25 delivers a max 187-lumen output and 26 hours runtime on low mode. Featuring constant brightness technology and waterproof to IPX-8 Standards, E25 is another high-performance addition to the growing Fenix product line.

Technical Parameters

ANSI/NEMA FL1	High	Mid	Low
 OUTPUT	187 LUMENS	90 LUMENS	27 LUMENS
 RUNTIME	2h 20min	6h15min	26h
 DISTANCE	156m		
 INTENSITY	6112cd		
 IMPACT RESISTANT	1m		
 WATERPROOF	IPX-8, underwater 2m		
EXTRA FUNCTIONS			
ACCESSORIES	Lanyard, spare o-ring		

Notice: The above-mentioned parameters (lab tested by Fenix using 2500mh Ni-MH batteries in Lab) are approximate and may vary between flashlights, batteries and environments.

- ⊙ Cree XP-E LED with a lifespan of 50,000 hours
- ⊙ Uses two AA batteries
- ⊙ 146mm (Length) x 24mm (Diameter)
- ⊙ 75-gram weight (excluding batteries)
- ⊙ Digitally regulated output - maintains constant brightness
- ⊙ Reverse polarity protection guards against improper battery installation
- ⊙ Slip-resistant body design
- ⊙ All-function switch, simple and convenient operation.
- ⊙ Capable of standing up securely on a flat surface to serve as a candle
- ⊙ Made of durable aircraft-grade aluminum
- ⊙ Premium Type III hard-anodized anti-abrasive finish
- ⊙ Toughened ultra-clear glass lens with anti-reflective coating

Operation Instruction

Press and hold the switch for 0.5 seconds to turn the light on or off.

With the light on, press the switch to select the brightness level in the order of Low→Mid→High.

The flashlight memorizes the last brightness used in general mode even after changing the batteries (it will not remember any flashing modes). The next time you turn on the flashlight, it will light up at the last used general mode

Battery Specifications

Type	Dimensions	Nominal voltage	Usability	
Ni-MH battery	AA	1.2V	Recommended	✓
Alkaline battery	AA	1.5V	Usable	✓
Non-rechargeable Battery (Lithium)	AA	1.5V	Usable	✓
Rechargeable Battery (Li-ion)	14500	3.7V	Banned	✗

Warning: Please do not mix batteries of different brands, size, capacity or type. Doing so may cause damage to the flashlight or the batteries being used.

Usage and Maintenance

© Please don't disassemble the sealed head, doing so can cause damage to the flashlight and will void the warranty.

© High-power light should use battery with high current discharge capability; we suggest using high-performance Ni-MH rechargeable battery, using alkaline battery will decrease the runtime of this high-intensity light.

© Please use batteries of high quality, and take out the battery if you do not use the light for a long time, or the light can be damaged by electrolyte leakage or battery explosion.

© Unscrew the tail cap one-half turn or take out the battery to prevent accidental activation during storage or transport.

© The o-ring may be worn out after using for a long time. If it happens, please replace the o-ring with a new one to keep the flashlight properly sealed against water.

© Please clean the contacts of your light from time to time, especially if the light flickers or doesn't light up. There may be several reasons for a flickering or not working light:

Reason A: The batteries need replacing.

Solution: Replace the batteries (Please confirm the correct installation of anode and cathode).

Reason B: The threads, PCB board contact or other contacts are dirty.

Solution: Clean the contact points with an alcohol soaked cotton swab.

If the above methods don't work, please contact the distributors and refer to the warranty policy.

Product Warranty

We will replace products afflicted with manufacturing defects within 15 days of purchase and repair a light free of charge within 24 months of purchase if problems develop with normal use; if repair is required after 24 months from the date of purchase, we will charge for parts. The total repair fee is dictated by the cost of the replaced materials.

Warranty Card Registration

We kindly suggest that you register your warranty card on the official website for Fenixlight Limited. You can get an extra six-month warranty period once you have successfully registered. By participating in an optional customer survey, you are entered in a drawing for free Fenix products.

Warning

E25 is a high-intensity lighting device and capable of causing eye damage, avoid shining the light directly into the eyes.